ELSEVIER

Talanta 51 (2000) 1245–1253

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 51 (2000)

No. 1 **January 2000**

Regular papers

Vanillin-condensed tannin study using flow injection spectrophotometry
E.C. Ferreira and A.R.A. Nogueira (São Carlos, Brazil) 1

The influence of the variable sample volume and constant added standard on the determination of copper, nickel and chromium by atomic absorption spectrometry
S.E. Quintar, J.P. Santagata, O.I. Villegas and V.A. Cortinez (San Luis, Argentina) 7

Determination of stability constants for metal–ligand complexes using the voltammetric oxidation wave of the anion/ligand and the DeFord and Hume formalism
G.W. Luther, III, S.M. Theberge (Lewes, DE, USA) and D. Rickard (Cardiff, UK) 11

A step to a uniform definition and interpretation of the suspension effect
S. Oman (Ljubljana, Slovenia) 21

GLEE, a new computer program for glass electrode calibration
P. Gans (Leeds, UK) and B. O'Sullivan (Berkeley, CA, USA) 33

Simultaneous determination of manganese and zinc in mixtures using first- and second-derivative spectrophotometry
H. Sedaira (Assiut, Egypt) 39

Polarographic determination of nitrate in vegetables
M.I.N. Ximenes (Brasília, Brazil), S. Rath and F.G.R. Reyes (Campinas, Brazil) 49

Determination of phosphorous in titanium bearing minerals by potentiometric titration using Pb-ion selective electrode
K. Ramadoss, D.S.R. Murty, P.L. Mahanta, B. Gomathy and R. Rangaswamy (Bangalore, India) . 57

Determination of nucleic acids in acidic medium by enhanced light scattering of large particles
Z. Li, K. Li and S. Tong (Beijing, People's Republic of China) 63

Chromatographic characterization of a molecular imprinted polymer binding cortisol
C. Baggiani, G. Giraudi, F. Trotta, C. Giovannoli and A. Vanni (Turin, Italy) 71

Silica gel-immobilized-dithioacetal derivatives as potential solid phase extractors for mercury(II)
M.E. Mahmoud and G.A. Gohar (Alexandria, Egypt) 77

Fluorimetric determination of salsalate in urine, serum and pharmaceutical preparations
J.A. Murillo Pulgarín and L.F. García Bermejo (Ciudad Real, Spain) 89

Metal ion complexation by acyclic polyethers with lipophilic amide, thioamide, and amine end groups
J. Seung Kim (Nonsan, South Korea), M. Hwan Cho, J. Hoon Cho (Chuncheon, South Korea), J. Hae Lee (Taejon, South Korea), R.A. Bartsch (Lubbock, TX, USA), Y. Ill Lee (Changwon, South Korea) and I. Hoe Kim (Nonsan, South Korea) 99

Predominance zone diagrams and their application to solvent extraction techniques
M.E. Páez-Hernández (Hidalgo, Mexico), M.T. Ramírez and A. Rojas-Hernández (Mexico, Mexico). 107

Cloud point extraction of lead in saliva via use of nonionic PONPE 7.5 without added chelating agents
M.O. Luconi, M. Fernanda Silva, R.A. Olsina and L.P. Fernández (San Luis, Argentina) 123

Raman spectroscopy in bioanalysis
D. Pappas, B.W. Smith and J.D. Winefordner (Gainesville, FL, USA) 131

The determination of complex stabilities with nearly insoluble host molecules. Complexation of barium(II) with substituted diaza-18-crown-6 ligands in aqueous and methanolic solutions
H.-J. Buschmann, E. Cleve, S. Torkler and E. Schollmeyer (Krefeld, Germany) 145
Piezoelectric crystal for sensing bacteria by immobilizing antibodies on divinylsulphone activated poly-*m*-aminophenol film
F. Ying-Sing, S. Shi-Hui and Z. De-Rong (Hong Kong, People's Republic of China) 151
A piezoelectric method for monitoring formaldehyde induced crosslink formation between poly-lysine and poly-deoxyguanosine
R.L. Bunde, E.J. Jarvi and J.J. Rosentreter (Pocatello, ID, USA) 159
A low-cost flame atomic absorption spectrometry method for determination of trace metals in aqueous samples
E. Carasek (Florianópolis, Brazil) 173
Stopped-flow spectrophotometric determination of hydrogen peroxide with hemoglobin as catalyst
K. Zhang, L. Mao and R. Cai (Wuhan, PR China) 179
Glucose and choline on-line biosensors based on electropolymerized Meldola's blue
L. Mao and K. Yamamoto (Tokyo, Japan) 187

Short communication
The use of stabilizers in the UV assay of ascorbic acid
J.K. Kwakye (Kumasi, Ghana) 197

Book reviews 201

Announcements 207

No. 2 **February 2000**

Review
Porphyrins in analytical chemistry. A review
M. Biesaga, K. Pyrzyńska and M. Trojanowicz (Warsaw, Poland) 209

Regular papers
Spectrofluorimetric kinetic determination of selenium (IV) by flow injection analysis in cationic micellar medium
A. Safavi and M. Mirzaee (Shiraz, Iran) 225
Assessment of uncertainty in parameter evaluation and prediction
G. Meinrath (Freiberg, Germany), C. Ekberg, A. Landgren and J.O. Liljenzin (Gothenburg, Sweden) 231
Direct ATR-FTIR determination of sucrose in beet root
J.M. Garrigues, M. Akssira, F.J. Rambla, S. Garrigues and M. de la Guardia (Valencia, Spain) . . . 247
A comparison between ICP-MS and AFS detection for arsenic speciation in environmental samples
J.L. Gómez-Ariza, D. Sánchez-Rodas, I. Giráldez and E. Morales (Huelva, Spain) 257
Simultaneous determination of pseudoephedrine sulfate, dexbrompheniramine maleate and loratadine in pharmaceutical preparations using derivative spectrophotometry and ratio spectra derivative spectrophotometry
F. Onur, C. Yücesoy, S. Dermiş, M. Kartal and G. Kökdil (Ankara, Turkey) 269
Donnan dialysis of copper, gold and silver cyanides with various anion exchange membranes
D.-E. Akretche and H. Kerdjoudj (Algiers, Algeria) 281
Determination of ultra-micro amounts of sulfur in igneous rocks by spectrofluorimetry using 2-(o-hydroxyphenyl) benzoxazole derivatization and tin(II)-strong phosphoric acid-assisted reduction
Y.-D. Hong, S.-W. Namgung (Pusan, South Korea), M. Yoshida (Tokyo, Japan) and A. Malik (Tampa, FL, USA) 291
Determination of total cationic and total anionic arsenic species in oyster tissue using microwave-assisted extraction followed by HPLC–ICP-MS
A. Chatterjee (Ibaraki, Japan) 303
Multivariate spectrofluorimetry of ultra trace zirconium(IV) and hafnium(IV) assisted by several chemometrics methods
Z.-P. Wang, L.-L. Shi, G.-S. Chen (Nanjing, People's Republic of China) and K.L. Cheng (Kansas City, MO, USA) 315

Electron spin resonance for quantitative assay of chlorpromazine in drug formulations by oxidation with cerium(IV) in sulfuric acid media
S.M. Sultan, M.O. Hamad Al-Turabi and J.S. Hwang (Dhahran, Saudi Arabia) 327
Hand-held lead analyzer
C. Yarnitzky, J. Wang and B. Tian (Las Cruces, NM, USA). 333
Specific extraction of chromium(VI) using supercritical fluid extraction
G.P. Foy and G.E. Pacey (Oxford, OH, USA) 339
Analysis of archaeological samples and local clays using ICP-AES, TG–DTG and FTIR techniques
L. Paama (Tartu, Estonia), I. Pitkänen (Jyväskylä, Finland) and P. Perämäki (Oulu, Finland) 349
Effect of cyclodextrins on the stability of adriamycin, adriamycinol, adriamycinone and daunomycin
S. Emara (Assiut, Egypt), I. Morita, K. Tamura, S. Razee, T. Masujima (Hiroshima, Japan), H.A. Mohamed, S.M. El-Gizawy and N.A. El-Rabbat (Assiut, Egypt). 359
Tetrabenzyl pyrophosphate as a new class of neutral carrier responsive to lead ion
D. Xu and T. Katsu (Okayama, Japan) 365
Direct determination of cadmium and copper in seawater using a transversely heated graphite furnace atomic absorption spectrometer with Zeeman-effect background corrector
M.-S. Chan and S.-D. Huang (Hsinchu, Taiwan, ROC) 373
Determination of Cd in sonicate slurries and leachates of biological and environmental materials by FI-CV-AAS
M. Liva (Havana, Cuba), R. Muñoz-Olivas and C. Cámara (Madrid, Spain) 381
M.K. Beklemishev, A.L. Kapanadze, N.V. Bakhilina and I.F. Dolmanova (Moscow, Russia) 389
Regenerable immunobiosensor for the chemiluminescent flow injection analysis of the herbicide 2,4-D
C.A. Marquette and L.J. Blum (Villeurbanne, France). 395

Book reviews 403

Announcements 413

Calendar of forthcoming meetings N1

No. 3 **March 2000**

Review
Chemiluminescence as a diagnostic tool. A review
C. Dodeigne, L. Thunus and R. Lejeune (Liege, Belgium). 415

Regular papers
A study of the dithiophosphoric acid diacylester as a masking agent for the determination of bismuth in the presence of copper by hydride generation atomic absorption spectrometry
I. Takase and R. Calixto de Campos (Rio de Janeiro, Brazil) 441
Kinetic-spectrophotometric determination of trace amounts of vanadium
J. Gao, X. Zhang, W. Yang, B. Zhao, J. Hou and J. Kang (Lanzhou, PR China) 447
The application of Kohonen neural networks to diagnose calibration problems in atomic absorption spectrometry
Y. Vander Heyden, P. Vankeerberghen (Brussel, Belgium), M. Novic, J. Zupan (Ljubljana, Slovenia) and D.L. Massart (Brussel, Belgium) 455
Determination of trihalomethanes in chlorinated sea water samples using a purge-and-trap system coupled to gas chromatography
A.-S. Allonier, M. Khalanski (Chatou, France), A. Bermond and V. Camel (Paris, France) 467
The predicting study for chromatographic retention index of saturated alcohols by MLR and ANN
W. Guo, Y. Lu and X.M. Zheng (Hang Zhou, People's Republic of China) 479

.

Simultaneous determination of ethanol and glycerol in wines by a flow injection-pervaporation approach with in parallel photometric and fluorimetric detection
E. Mataix and M.D. Luque de Castro (Córdoba, Spain) 489
Measurement of cellular stimulation through monitoring pH changes by bead injection fluorescence microscopy
I. Lähdesmäki, C. Beeson, G.D. Christian and J. Ruzicka (Seattle, WA, USA) 497
Determination of trace elements in granites by inductively coupled plasma mass spectrometry
Q. Liang, H. Jing (Guiyang, PR China) and D.C. Gregoire (Ottawa, Canada). 507
Flow-injection chemiluminescence determination of quinine using on-line electrogenerated cobalt(III) as oxidant
B. Li, Z. Zhang and M. Wu (Xi'an, People's Republic of China) 515
The synergistic extraction of thorium(IV) and uranium(VI) with mixtures of 3-phenyl-4-benzoyl-5-isoxazolone and crown ethers
S.K. Sahu, V. Chakravortty (Bhubaneswar, India), M.L.P. Reddy and T.R. Ramamohan (Trivandrum, India) 523
Preconcentration and speciation of chromium in waters using solid-phase extraction and atomic absorption spectrometry
D.M. Adriá-Cerezo, M. Llobat-Estellés and A.R. Maurí-Aucejo (València, Spain). 531
A flow-through fluorescent sensor to determine Fe(III) and total inorganic iron
P. Pulido-Tofiño, J.M. Barrero-Moreno and M.C. Pérez-Conde (Madrid, Spain) 537
Determination of salicylate in blood serum using an amperometric biosensor based on salicylate hydroxylase immobilized in a polypyrrole–glutaraldehyde matrix
L. Rover Júnior (Campinas, Brazil), G. de Oliveira Neto (Bragança Paulista, Brazil), J. Roberto Fernandes (Bauru, Brazil) and L. Tatsuo Kubota (Campinas, Brazil) 547
Electrochemical behaviour of EOP at the liquid/liquid interface and its determination
J. Di and X. Gao (Suzhou, PR China). 559
Sol–gel-derived amperometric biosensor for hydrogen peroxide based on methylene green incorporated in Nafion film
B. Wang and S. Dong (Changchun, PR China). 565
Coulometric titration with air transported sample
A.D. Dakashev and V.T. Dimitrova (Bourgas, Bulgaria) 573
Optimising mobile phase composition, its flow-rate and column temperature in HPLC using taboo search
Y.C. Guillaume and E. Peyrin (Besançon, France) 579
Determination of mercury in agroindustrial samples by flow-injection cold vapor atomic absorption spectrometry using ion exchange and reductive elution
J.A. Gomes Neto, L.F. Zara, J.C. Rocha, A. Santos, C.S. Dakuzaku (Araraquara, Brazil) and J.A. Nóbrega (São Carlos, Brazil) 587
Derivative spectrophotometric determination of praseodymium in rare earth mixtures with lomefloxacin
N. Wang, X. Ren, Z. Si, W. Jiang, C. Liu and X. Liu (Jinan, PR China) 595
FT-Raman spectroscopy — analytical tool for routine analysis of diazinon pesticide formulations
S.G. Skoulika, C.A. Georgiou and M.G. Polissiou (Athens, Greece). 599

Letter to the Editor

Letter to the Editor concerning the paper by S. Karthikeyan, T. P. Rao and C. S. P. Iyer entitled *Determination of arsenic in sea water by sorbent extraction with hydride generation atomic absorption spectrometry*, which appeared in Talanta, 49 (3) (1999) 523-530.
E.H. Hansen (Lyngby, Denmark) 605

Reply to Letter to the Editor

Rebuttal Letter for the comments raised by Professor E.H. Hansen on 'Determination of arsenic in sea water by sorbent extraction with hydride generation atomic absorption spectrometry' which appeared in Talanta 49(3) 523–530
T.P. Rao (Trivandrum, India) 607

Book reviews 609

Announcement 613

No. 4 **April 2000**

Regular papers

Study on the mechanism and applications of the fluorescence reactions among cobalt (II), H_2O_2 and two new derivatives of 8-sulfonamidoquinoline
Q.-E. Cao, Y. Zhao, S. Wu, Z. Hu (Lanzhou, PR China) and Q. Xu (Kunmin, PR China) 615

Electrochemical determination of the stability of complexes formed by proton-ionizable ligands of 3,5-disubstituted 1H-pyrazole with phenethylamine
A. Doménech, E. García-España (Burjassot, Spain), P. Navarro and F. Reviriego (Madrid, Spain) . . 625

Equilibrium studies on complexation in water and solvent extraction of zinc(II) and cadmium(II) with benzo-18-crown-6
S. Katsuta, F. Tsuchiya and Y. Takeda (Chiba, Japan) 637

Polarographic and voltammetric behavior of selenious acid and its use in analysis
P. Zuman (Potsdam, NY, USA) and G. Somer (Ankara, Turkey) 645

Mechanism of porous core electroosmotic pump flow injection system and its application to determination of chromium(VI) in waste-water
W.-e. Gan, L. Yang, Y.-z. He, R.-h. Zeng (Anhui, PR China), M.L. Cervera and M. de la Guardia (Burjassot, Spain) 667

Determination of polycyclic aromatic hydrocarbons (PAHs) in a complex mixture by second-derivative constant-energy synchronous spectrofluorimetry
A. Andrade Eiroa, E. Vázquez Blanco, P. López Mahía, S. Muniategui Lorenzo, D. Prada Rodríguez and E. Fernández Fernández. (Coruña, Spain) 677

Determination of superoxide dismutase in erythrocytes by a chemiluminescent assay
S. Girotti, F. Fini, E. Ferri, R. Budini, S. Piazzi and D. Cantagalli (Bologna, Italy) 685

Simultaneous determination of cadmium and zinc using a fiber optic device and fluorescence spectrometry
N. Ertaş, E.U. Akkaya and O. Yavuz Ataman (Ankara, Turkey) 693

Simple spectrophotometric determination of Fe in oxalate and HCl soil extracts
P. Dominik and M. Kaupenjohann (Stuttgart, Germany) 701

Determination of the antioxidant activity of phenolic compounds by coulometric detection
M.N. Peyrat-Maillard, S. Bonnely and C. Berset (Massy, France) 709

Thick-target PIGE analysis of plant materials preconcentrated by dry ashing
K.-E. Saarela, L. Harju, J.-O. Lill, J. Rajander, A. Lindroos and S.-J. Heselius (Turku, Finland) . . 717

MCF fast derivatization procedure for the identification of resinous deposit components from the inner walls of roman age amphorae by GC-MS
M.D. Petit-Dominguez and J. Martinez-Maganto (Madrid, Spain) 727

Optosensing properties of *fac*-$Re(CO)_3$(dpknph)Cl (dpknph = di-2-pyridyl ketone *p*-nitrophenyl hydrazone)
M. Bakir, K. Abdur-Rashid and W.H. Mulder (Kingston, Jamaica) 735

Multielement analysis of coal by ICP techniques using solution nebulization and laser ablation
I. Rodushkin, M.D. Axelsson and E. Burman (Luleå, Sweden) 743

Potentiometric behavior of *N*,*N*,*N*′,*N*′-tetrabenzylmethylenediamine-based hydrogen ion-selective electrodes
D.-H. Cho, K.-C. Chung, S.-S. Jeong and M.-Y. Park (Seoul, South Korea) 761

Spectrofluorimetric method for determination of aluminium with chromotropic acid and its application to water samples
C.-I. Park and K.-W. Cha (Inchon, South Korea) 769

Determination of rutin and other flavonoids by flow-injection/adsorptive stripping voltammetry using nujol-graphite and diphenylether-graphite paste electrodes
G.J. Volikakis and C.E. Efstathiou (Athens, Greece) 775

Fluorescence study of some terbium–oligopeptide complexes in methanolic solution
S. Rabouan, J. Delage, W. Durand (Poitiers, France), P. Prognon (Chatenay-Malabry, France) and D. Barthes (Poitiers, France) 787

Simultaneous determination of water-soluble vitamins excreted in human urine after eating an overdose of vitamin pills by a HPLC method coupled with a solid phase extraction
C.M. Cho, J.H. Ko and W.J. Cheong (Incheon, South Korea) 799
Room temperature phosphorescence analyses of polycyclic aromatic hydrocarbons using an imaging sensing system combined with a bifurcated optical fiber and a cooled charge coupled device detector
A. Ghauch (le Bourget du Lac, France), J. Rima (Jedeidet el Metn BP, Lebanon), C. Fachinger, J. Suptil and M. Martin-Bouyer (le Bourget du Lac, France) 807
Reversed-phase liquid chromatographic determination of uranium based on its ternary complex with fluoride and 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol. New chromatographic probe for the detection of fluoride on C18 stationary phase surface
S. Oszwałdowski, K. Połeć and M. Jarosz (Warsaw, Poland) 817

Short communication
Differential pulse polarographic determination of selenium(IV) in whole blood using the catalytic hydrogen wave
R. İnam, G. Ekmekçi and G. Somer (Ankara, Turkey) 825

Book review 831

Announcement 833

Calendar of forthcoming meetings N9

No. 5 **April 2000**

Review
Sedimentation field-flow-fractionation: emergence of a new cell separation methodology
T. Chianéa, N.E. Assidjo and P.J.P. Cardot (Limoges, France) 835

Regular papers
Optimization of dimethyltin chloride determination by hydride generation gas phase molecular absorption spectrometry using a central composite design
J. Sanz, M. Pérez, M.T. Martínez and M. Plaza (La Rioja, Spain) 849
Application of neural network calibrations to an halide ISE array
M. Baret (Décines-Charpieu, France), D.L. Massart (Brussels, Belgium), P. Fabry (Saint Martin d'Hères, France), F. Conesa, C. Eichner and C. Menardo (Décines-Charpieu, France) 863
Studies of selectivity in the amaranth method for chlorine dioxide
G.L. Emmert, D.E. Coutant, D.L. Sweetin, G. Gordon and B. Bubnis (Oxford, OH, USA) 879
Flame atomic absorption spectrometric determination of silver after preconcentration on Amberlite XAD-16 resin from thiocyanate solution
A. Tunçeli and A.R. Türker (Ankara, Turkey) 889
Separation and speciation of Cr(III) and Cr(VI) with *Saccharomyces cerevisiae* immobilized on sepiolite and determination of both species in water by FAAS
H. Bağ (Kırıkkale, Turkey), A.R. Türker (Ankara, Turkey), M. Lale (Kırıkkale, Turkey) and A. Tunçeli (Ankara, Turkey) 895
Determination of volatile elements in biological materials by isotopic dilution ETV-ICP-MS after dissolution with tetramethylammonium hydroxide or acid digestion
D. Pozebon, V.L. Dressler and A.J. Curtius (Florianópolis, Brazil) 903
Liquid–liquid extraction of platinum(II) with cyclic tetrathioethers
K. Saito, I. Taninaka, Y. Yamamoto, S. Murakami and A. Muromatsu (Kobe, Japan) 913
Review of analytical measurements facilitated by drop formation technology
K.E. Miller and R.E. Synovec (Seattle, WA, USA) 921

Determination of gases (NO, CO, Cl_2) using mixed-mode regimes in the Belousov–Zhabotinskii oscillating chemical reaction
P.E. Strizhak and V.O. Khavrus (Kyiv, Ukraine) 935
Optimization of the room-temperature phosphorescence of the 6-bromo-2-naphthol–α-cyclodextrin system in aqueous solution
A. Muñoz de la Peña, M. Pérez Rodríguez (Badajoz, Spain) and G.M. Escandar (Rosario, Argentina) 949
Voltammetric analysis of ceftazidime after preconcentration at various mercury and carbon electrodes: application to sub-ppb level determination in urine samples
N.A. El-Maali (Assiut, Egypt) 957
Simultaneous detection of *S* and *R* captopril using sequential injection analysis
R.-I. Stefan, J.K.F. van Staden (Pretoria, South Africa) and H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 969
Potentiometric and spectroscopic study of uranyl complexation with humic acids
P. Lubal, D. Fetsch, D. Široký, M. Lubalová, J. Šenkýr and J. Havel (Brno, Czech Republic) 977
Phosphate rock treatment with citric acid for the rapid potentiometric determination of fluoride with ion-selective electrode
A.O. Al-Othman and J.A. Sweileh (Almafraq, Jordan) 993
Comparison of tryptophan interactions to free and grafted BSA protein
F. Garnier, J. Randon and J.L. Rocca (Villeurbanne, France) 1001
Analysis of siliceous materials and coal by atomic absorption spectrophotometry with fusion for sample decomposition
O.-W. Lau (Shatin, Hong Kong), L. Lam (Hong Kong) and S.-F. Luk (Shatin, Hong Kong) 1009
β-Cyclodextrin–ferrocene inclusion complex modified carbon paste electrode for amperometric determination of ascorbic acid
Z. Guorong, W. Xiaolei, S. Xingwang and S. Tianling (Jinan, People's Republic of China) 1019
Nickel and zinc determination by flow-injection solid-phase spectrophotometry exploiting different sorption rates
L.S.G. Teixeira (Bahia, Brazil), F.R.P. Rocha (São Carlos, Brazil), M. Korn (Bahia, Brazil), B.F. Reis (Piracicaba, Brazil), S.L.C. Ferreira and A.C.S. Costa (Bahia, Brazil) 1027

Short communication
Determination of Cu, Zn, Fe, Ni and Cd by flame atomic absorption spectrophotometry after preconcentration by *Escherichia coli* immobilized on sepiolite
H. Bağ (Kırıkkale, Turkey), A.R. Türker (Ankara, Turkey) and M. Lale (Kırıkkale, Turkey) 1035

Book review 1045

No. 6 **May 2000**

Regular papers
Oxidation of thiocyanate by hydrogen peroxide — a reaction kinetic study by capillary electrophoresis
A.A. Christy and P.K. Egeberg (Kristiansand, Norway) 1049
Flow-injection hydride generation atomic absorption spectrometric study of the automated on-line pre-reduction of arsenate, methylarsonate and dimethylarsinate and high-performance liquid chromatographic separation of their L-cysteine complexes
D.L. Tsalev, M. Sperling and B. Welz (Ueberlingen, Germany) 1059
Enrichment of benzo[*a*]pyrene in vegetable oils and determination by HPLC-FL
S. Vazquez Troche (Santiago de Compostela, Spain), M.S. García Falcón (Ourense, Spain), S. González Amigo, M.A. Lage Yusty and J. Simal Lozano (Santiago de Compostela, Spain) 1069
Electroanalysis of cationic species at membrane-carbon electrodes modified by polysaccharides. Bioaccumulation at microorganism-modified electrodes
E. Lojou and P. Bianco (Marseille, France) 1077

Kinetics of the arsenite oxidation in seepage water from a tin mill tailings pond
B. Daus, J. Mattusch, A. Paschke, R. Wennrich and H. Weiss (Leipzig, Germany) 1087
Adsorption and oxidation of aromatic amines by metal hexacyanoferrates(II)
T. Alam, H. Tarannum, M.N.V. Ravi Kumar and Kamaluddin (Roorkee, India) 1097
Electrochemical study and flow-injection amperometric detection of trace NO_2^- at $CuPtCl_6$ chemically modified electrode
J. Pei and X.-y. Li (Kowloon, Hong Kong) 1107
Highly sensitive and selective measurements of cobalt by catalytic adsorptive cathodic stripping voltammetry
A. Safavi and E. Shams (Shiraz, Iran) 1117
How to succeed in analytical chemistry: a bibliography of resources from the literature
C.A. Lucy (Edmonton, Canada). 1125
A quartz crystal microbalance sensor for the determination of nitroaromatics in landfill gas
T.A.P. Rocha-Santos, M.T.S.R. Gomes, A.C. Duarte and J.A.B. Pereira Oliveira (Aveiro, Portugal). 1149
Chemiluminescence determination of sodium 2-mercaptoethane sulfonate by flow injection analysis using cerium(IV) sensitized by quinine
L.F. Capitán-Vallvey, M.C. Valencia Mirón and R. Acosta Acosta (Granada, Spain). 1155
Development of a potentiometric flow cell with a stainless steel electrode for pH measurements. Determination of acid mixtures using flow injection analysis
C.G. Zampronio, J.J.R. Rohwedder and R.J. Poppi (Campinas, Brazil). 1163
Determination of selenium, zinc and cadmium in antidandruff shampoos by atomic spectrometry after microwave assisted sample digestion
A. Salvador, M.C. Pascual-Martí, E. Aragó, A. Chisvert (Valencia, Spain) and J.G. March (Palma de Mallorca, Spain). 1171
Continuous subcritical water extraction of medicinal plant essential oil: comparison with conventional techniques
L. Gámiz-Gracia and M.D. Luque de Castro (Córdoba, Spain) 1179
Amberlite XAD-2 functionalized with *o*-aminophenol: synthesis and applications as extractant for copper(II), cobalt(II), cadmium(II), nickel(II), zinc(II) and lead(II)
M. Kumar, D.P.S. Rathore and A.K. Singh (New Delhi, India) 1187
A new flow-injection determination of glucose based on the redox reaction of hydroquinone with iron(III) in the presence of 1,10-phenanthroline
H. Katsumata, T. Sekine (Tsukuba, Japan), N. Teshima (Toyota, Japan), M. Kurihara and T. Kawashima (Tsukuba, Japan) 1197
Development of a positive pressure driven micro-fabricated liquid chromatographic analyzer through rapid-prototyping with poly(dimethylsiloxane): Optimizing chromatographic efficiency with sub-nanoliter injections
P.G. Vahey, S.H. Park, B.J. Marquardt, Y. Xia, L.W. Burgess and R.E. Synovec (Seattle, WA, USA) 1205
Determination of barbituric acid and 2-thiobarbituric acid with end-column electrochemical detection by capillary electrophoresis
T. You, X. Yang and E. Wang (Changchun, People's Republic China) 1213
Application of H-point standard additions method to spectrophotometric and spectrofluorimetric determinations of glafenine and glafenic acid in mixtures
S.M. Sabry and E.F. Khamis (Alexandria, Egypt) 1219

Book reviews 1233

Announcements 1241

Volume contents 1245
Author index 1255
Subject index 1259
Calendar of forthcoming meetings N13